

اطلاعات مصرف کننده

قطره خوراکی دایونیکس® آیروفیکس فورت

قبل از مصرف لطفا برگه راهنمایی را بخوانید. در صورت وجود هرگونه سوال با پزشک و یا داروساز خود مشورت نمایید. از دوز توصیه شده برای مصرف روزانه تجاوز نکنید. این فرآورده، مکمل بوده و جهت پیشگیری، تشخیص و درمان نمی باشد.

دسته دارویی:
مکمل

موارد مصرف:
کمک به تامین آهن مورد نیاز بدن و جلوگیری از کم خونی ناشی از فقر آهن.

ترکیبات (در هر ۱ میلی لیتر):
آهن پیروفسفات لیپوزومال معادل ۱۵ میلی گرم آهن

مقدار و نحوه مصرف:
• کودکان ۶ ماه تا ۵ سال: روزانه ۱ میلی لیتر یا طبق دستور پزشک یا داروساز قبل از مصرف بطری را خوب نکان دهید.

موارد احتیاط و هشدارهای منع مصرف:

- این محصول جایگزین رژیم غذایی متعادل و سبک زندگی سالم نمی باشد.

- بیشتر از مقدار توصیه شده روزانه مصرف نشود.

- مصرف این فرآورده در صورت حساسیت به هر یک از ترکیبات تشکیل دهنده آن توصیه نمی شود.
اگر تحت درمان دارویی خاصی می باشید پیش از شروع به مصرف این فرآورده با پزشک یا داروساز خود مشورت نمایید.

- این مقدار آهن ممکن است باعث مشکل گوارشی در افراد حساس شود.

- این فرآورده حاوی آهن است که در دوزهای بالا می تواند برای کودکان مضر باشد.

- بیماران مبتلا به بیماری های کبدی باید کمپلکس سدیم فریک گلوكونات و فریک پیروفسفات را با احتیاط مصرف کنند. کبد یکی از مراکز ذخیره سازی آهن است و بعضی از بیماران مبتلا به بیماری مزمن کبدی ممکن است ذخیره بیش از حد آهن داشته باشند.

- از دید و دسترس کودکان دور نگه داشته شود.

موارد جانبی:

در صورت بروز علائم تحریک معده با پزشک معالج و یا داروساز تماس بگیرید

تدابیر دارویی:

- تجویز آهن با مواد غذایی، جذب آهن را حداقل ۵۰ درصد کاهش می دهد.

- آهن نباید با برخی داروهای تجویز شده مصرف شود.

- املاح آهن ممکن است توسط عوامل زیر تحت تاثیر قرار بگیرند: آنتاسیدها، نمک های کلسیم، کلرامفنیکل، آنزیم های گوارشی، آنتاگونیست های H2، مهارکننده های پمپ پروتئین و تتراسایکلین ها. قبل از مصرف آهن در مورد تداخل با هر داروی دیگری که فرزند شما مصرف می کند با پزشک معالج خود مشورت نمایید.

شرایط نگهداری:

در محیط خشک و خنک، دور از نور و گرما نگهداری شود. پس از اولین استفاده در یخچال نگهداری و طی مدت ۳۰ روز مصرف شود.

بسته بندی:
بطری ۳۰ میلی لیتری به همراه سرنگ مدرج

دارنده پروانه ساخت: شرکت امید دارو سلامت، تهران-ایران، تولید در شرکت داروسازی الحاوی، تحت لیسانس دایونیکس فارما انگلستان
مشاوره علمی: ۰۲۱-۴۷۵۶۳۲۲۱



Consumer Information

Dayonix Irofix® Forte

Drops

Before taking this supplement, please read the leaflet carefully. It includes important information to get the best result. In case of further questions or any doubt, ask your physician or pharmacist. Do not exceed the recommended daily dose.

Category:

Supplement.

Indication:

Dayonix Irofix® Forte is a Liposomal iron-based drops with a pleasant taste and high absorption which does not taint the teeth and helps to improve iron deficiency anemia in children.

Ingredients (per 1 ml):

A Liposomal iron pyrophosphate (equivalent to 15 mg iron).

Recommended Daily Dose:

- Children 6 months to 5 years old: 1 ml daily or as directed by the Physician or Pharmacist.
- Shake well before use.

Precautions:

- This product must not replace a varied balanced diet and a healthy lifestyle.
- Do not exceed the advisable daily intake.
- Not recommended in case of allergy to any of the ingredients.
- If you are under medical treatment, consult your physician or pharmacist before taking supplements.
- This amount of Iron may cause mild stomach upset in sensitive individuals
- This Product contains Iron, which if taken in excess by very young children may be harmful.
- Patients with hepatic disease should receive sodium ferric gluconate complex; ferric pyrophosphate with caution. The liver is one of the main storage sites for iron, and some patients with chronic liver disease may have excessive iron storage.
- Keep out of the reach and sight of children.

Adverse Reactions:

Contact your physician or pharmacist if gastric irritation symptoms appear.

Interactions:

Administration of iron with food decreases the iron absorption by at least 50%. Iron should not be taken with some medicines that you get on prescription. Iron salts may be affected by the following agents: Antacids, calcium salts, chloramphenicol, digestive enzymes, H₂ antagonists, proton pump inhibitors and tetracycline. Before giving iron, consult your physician or pharmacist about any other medicines your child is taking.

Package:

30ml bottle with dosing syringe.

Storage:

Keep in a dry and cool place protected from heat and light. Once opened, store in the fridge and consume within 30 days.

License Holder:

Dayonix Pharma Limited, London, United Kingdom

References:

- PDR for Nutritional Supplements, 2nd edition.

